
Leading the way in quality installations of resin bound / bonded surfacing

QUALITY RESIN DRIVEWAYS & RESIN SURFACES



FOR A FREE QUOTE AND SITE SURVEY CONTACT US: 0113 272 1030 / 0113 253 1944



WELCOME TO THE YORKSHIRE RESIN COMPANY

Our methodical and professional approach to design, installation and after-care ensures a consistent, quality service which is what sets us apart from the competition.

The Yorkshire Resin Company consist of a team of consummate professionals, and our meticulous attention to detail and quality are second to none.

We pride ourselves on great service at a fair price.

All our installations are carried out to the manufacturer's specification ensuring the same level of service and quality control is always met.

We offer the full service from design to installation to after-care and maintenance.



Yorkshire Resin Company Ltd





ORKSHIRE RESIL

* * *

Thanks for transforming our drive into something to be very proud of. From our initial enquiry to completion we could not be more satisfied.

Your team worked very well and appeared to enjoy and take pride in what they were doing and your design ideas worked well.

John & Sandra Gallivan

MEET OUR TEAM



Here at The Yorkshire Resin Company Ltd. We value hard work and professionalism which means our team of experienced professionals are totally dedicated to ensuring that all our customers get top quality workmanship as standard. This, in turn, helps us to provide a service second to none in terms of quality and expertise.



Meet Andrew Firth

Co-founder and director of YRC, Andrew has helped build the company from the start. On a daily basis he continues to help the company grow. He strives for perfection in all YRC procedures and sets the bar high for the finish and service on all installations. Andrew is an important part of the team, adding a wealth of experience and knowledge to all YRC projects. When not working, Andrew loves to spend time outdoors with his wife and two young children.



Meet Hayden Preshaw

Co-founder and director of YRC, for the last 10 years Hayden has helped to build the company from the start. He loves getting stuck into the weekly challenges and keeping YRC running smoothly with day to day operations. Hayden is an important, valuable member of our experienced team. Besides working hard, Hayden loves nothing more than playing sports or spending time with his wife and 3 children.



Meet Craige Hallam

A very valuable member of our team, Craige is a likeable fun character, who spends his time meeting new customers and surveying new projects . He really enjoys his work and often comments how much he loves his job . He loves to go the extra mile for the team and even more so for our customers. When not at work Craige loves to watch his long-time favourite football team or spend time with his wife and two children.



Meet Ashley Wood

Ashley helps run and manage the YRC warehouse, he helps keep everything organised, making sure all materials are ship shape and correct for all our different teams. Ashley is often seen day to day on his forklift preparing for up and coming customer installations. Outside work Ashley spends most of his time with his young family.



Meet Chris Hemingway

Chris has been at YRC 3 years now, Chris looks after everything marketing, planning and managing how to build the companies brand and awareness both online and offline. Chris outside work is also a Leeds United season ticket holder along with his children.



Meet Mark Oldroyd

Mark is one of our key colleagues, constantly on the road providing expert knowledge and advice to all potential customers. Mark excels in customer service and building customer rapport. You're in more than safe hands with Mark. Outside work you'll often find Mark supporting his local clubs Leeds United and Leeds Rhino's up and down the country.



Meet our Ground Team

Our ground teams are the ones who bring all Yorkshire Resin Company's projects to life - a real bunch of characters who take great pride and pleasure in their work. We have a number of groundwork teams who carefully follow plans and specifications to prepare projects ready for resin to the highest standard. Then we have our all-important Powerclean team whose job it is to clinically clean the areas ready for resin. Finally, there's probably our most colourful team, the resin team, who use their combined 25 years of experience to expertly finish all our projects. Quite simply, they put the icing on the cake.

All the members of the Yorkshire Resin Company team, from planning to completion, respect and enjoy working with one another and take great pleasure in transforming old tired areas into something special. Indeed, we all get a real sense of achievement from every project.

HOW WE WORK



At The Yorkshire Resin Company, we pride ourselves on delivering quality service and workmanship to clients across Yorkshire and beyond.

FREE QUOTE & SITE SURVEY




We offer a free site survey and no obligation quotation. We listen to your requirements and make suggestions to help you decide about the basic layout upon which we can base our quotation. Once agreed, we will measure the area taking all the factors into account including; groundworks, blocks and drainage etc. We will then supply a fully itemized, personalised quotation which we will thoroughly explain in order to answer any remaining questions you may have.

We never try and add pressure for a decision either way on the day of a quotation. It is a big decision when you are making a sizable investment into a new driveway and we always recommend that you get at least 3 quotes from reputable company's before making an informed decision.

We are positive that pound for pound we offer the best value and our methodical organised service puts us head and shoulders above our nearest competitors.

CREATE A JOB PACK



If you accept our quotation we will visit you for a second time. We will discuss the layout and line mark the areas of work and photograph / document the works to be done, as well as gathering all the information from your chosen colours and types of edging through to risk assessments and access details. This allows us to produce a detailed "Job Pack". This is produced in hard copy for the operatives on site to consult and is kept on our live system so it can be accessed at anytime from anywhere. This really helps communication on detailed aspects of the job and with the pre planning from our head office.

The Job Pack contains all the information and checklists relevant to your specific job.

Most jobs are completed within 1 week. Due to our fast turnaround we require no deposits and no payments until complete. Our honest approach only inspires trust and confidence.

POWER CLEAN & PREPARATION OF



When laying resin over an existing surface, preparation is key to a permanent and quality finish. This is another key stage which many company's take lightly and once again just shows how the service from Yorkshire Resin Company is in a league of its own. Here at Yorkshire Resin we have a dedicated powerclean division.

Our dedicated powerclean vehicle is designed specifically for jet washing and features a duel operation high powered 250 bar pressure electric start diesel motor and pump which uses 29 ltr of water per minute.

The vehicle is also kitted out with a 1000 litre water tank and $2 \times 50m$ high pressure hoses on dispensers for ease of use, along with turbo lances controllable fan lancers and 24 inch flat surface cleaner it really is a smart setup.

This given approach ensures that not only is the surface clean but the sheer power of the equipment used also identifies any weak or sub-standard areas to the existing surface which could be easily missed by a standard hand held jet wash.

When overlaying resin bound on existing surfaces it of the highest importance that the surface is prepared to a high standard.

Once the existing surfaces are cleaned and repaired (if necessary), they are primed with a resin primer. This further protects the surface and ensures maximum adhesion to the existing surface (pitted tarmac or tarmac base coats do not require a primer coat).

EXCAVATION AND GROUNDWORKS



A week before the job is due to start our office based planner will be in touch to finalise exact start dates and discuss order of works. He will also supply you with his mobile number should you need to contact him out of office hours.

The planner will stay in touch throughout the job so if there are any points you would like to raise you can do so without any confrontation with the operatives on site. Many people are happy to discuss on site with the team leader, others with our planner or sometimes both. We like to ensure the communication is good throughout the project and at every stage.

The agreed date has come and it's time to begin the excavation and groundworks. Upon arriving the groundworks team leader will meet with you and discuss the job in hand and go through the "Job Pack" and advise you on the order of works and timescales. He will also listen to any concerns or plans you may have so he can run the job around any special requirements you may have.

The team leader will work through the job pack methodically and tick the job off at every stage within the job pack. A usual excavation job will run as follows, it will be excavated to the required level and hardcore laid/compacted ready for the edges/manholes or drainage to be set in place in accordance with the job pack.

Once all the preparation work is done the tarmac base coat binder sub base is laid in accordance with the specification and compacted to leave 15 - 20mm at the edges ready for resin bound overlay. We ensure each surface we install is done to the correct specification for its intended use as to warrant the 10 year Yorkshire Resin Company guarantee.









FINAL POWERCLEAN



You now have the perfect sub base ready for the resin it just need a final powerclean so it's ready to receive the resin. Even though it's fresh tarmac and is clean we like to make sure that the entire area is clean and tidy before we set the date for resin. On arrival our powerclean operative will greet you and run through how he will commence with the clean. Every edging block or key kerb, every aspect of the job gets individual special attention with the jet wash.

Powerclean also pay attention to surrounding areas including any dust on the house and adjoining areas, also very importantly the street, which keeps the neighbours happy. Once finished, we will check you are more than happy before being on our way.

LAYING THE RESIN



Once all remedial and groundworks/powerclean are complete you now have the perfect sub-base prepared in accordance with manufacturers specifications. It's now time for our dedicated resin team to expertly finish your driveway. On arrival, the resin team leader will check that all colours and amounts are correct and discuss the order of work and timescales with you. He will then double check preparation works and complete and sign a before resin check list in the "Job Pack".

The resin and aggregates are then mixed together in the correct ratios using a specialised action force mixer. They are then applied over the prepared surface to the required depth continuously from start to finish to achieve a seamless finish. As the resin is laid it is finished with a dusting of fine glass particles which sets into the curing surface. This gives extra grip when the surface is wet.

Once the resin is laid the area is cordoned off and is left to set. After 4 - 6 hours you can walk on your beautiful new resin bound driveway. However, it will be 24 hours before it's ready for vehicles.





JOB FINISHED



When your resin surface is complete and you are 100% happy, you will receive your invoice and we would kindly request payment by means discussed at job pack stage. Once we have received payment we will send you a hard copy of your invoice along with details on how to look after your beautiful new surface and a certificate explaining your 10 Year Guarantee along with a thank you card and a little something from us.

We also offer all our customers an annual power clean at reduced rates so you can keep your new surface looking as good as new, year on year.





WE CARE ABOUT RESULTS...



















































WHY CHOOSE RESIN BOUND...

Whether you are looking for a basic overlay on an existing surface or a full site excavation, we have the knowledge and skills to get the job done. We complete all work ourselves, that means we don't use sub-contractors, and all of our resin surfaces are all laid to the resin manufacturer's specification.

LOOKING FOR A DECORATIVE FINISH?



As well as being extremely hard wearing and water permeable, our Resin bound surfaces are available in a wide range of colours and you can add the perfect finishing touches to your new driveway.

DESIGN CHOICE & FLEXIBILITY




Single or multiple colours can be used to create borders, curves, patterns or even numbers and shapes. We also have an unlimited range of colours for bespoke, innovative designs.

PERMEABLE SURFACE



All our bound systems are fully permeable to air and water. This makes it ideal when laid over our permeable binder base coat system and creates a Sustainable Urban Drainage system [SUDs]. This means that a hard landscape can be created without the need for planning permission.

SMOOTH FINISH & HARD-WEARING



Resin drives provide a smooth, long-lasting finish with no loose stones making it ideal for all applications i.e. disabled access, pushchairs, children and bicycle.

LOW MAINTENANCE



A resin driveway minimises puddles, ice and growth of mould and weeds. All it requires is a jet wash/hose down and sweep with a stiff brush. Alternatively, consider taking advantage of our annual Power Clean service.


10 YEAR GUARANTEE

with a 10 year guarantee to





GET THE COMPLETE LOOK WITH OUR RANGE OF EDGINGS



Here at The Yorkshire Resin Company we provide high quality resin driveways and surfaces, but to achieve the complete style for your external surfaces we also provide and install some optional finishing touches (walls, fencing, draining ducts, channels and soak aways) to maintain a certain style and finish throughout your outdoor space.

We can provide decorative stone to match your chosen resin colour and give your surface a high quality finish that will really impress the neighbours.





RESIN BOUND SPECIFICATION

RESIN BOUND SPECIFICATION OVERVIEW



ANTI-SLIP FINISH

Applied by our trained installers

SURFACE COURSE

Hand applied & troweled to a smooth finish by our trained installers

BASE COURSE

Laid by our trained installers

SUB-BASE

Laid by our trained installers

CAPPING LAYER (IF REQUIRED)

Laid by our trained installers

SUB-GRADE

The native soil (usually compacted)



GLASS BEADING

Broadcast over the curing surface for added grip

RESIN BOUND SURFACE COURSE

15mm typical depth for paths and walkways 18mm typical depth for driveways & traffic areas

TARMAC BINDER BASE COAT

14-20mm open texture 50mm for paths and walkways 80mm for driveways and traffic areas

SUB-BASE

Well compacted Type 3 open graded hardcore with reduced fines 100mm depth for paths & walkways 150mm for driveways and traffic areas

CAPPING LAYER (IF REQUIRED)

Depth varies depending on the quality of Sub-Grade

drainage solutions that provide an alternative to the direct channelling of surface water through man made networks to nearby watercourses.

SuDs are



SuDS are drainage solutions that provide an alternative to the direct channelling of surface water through man made networks to nearby watercourses.

By mimicing natural drainage regimes, SuDS aim to reduce surface water flooding, improve water quality and enhance the amenity and biodiversity value of the environment. SuDS achieve this by lowering flow rates, increasing water storage capacity and reducing the transport of pollution to the water environment.

The need for alternative drainage such as SuDS is likely to increase to meet environmental challenges such as climate change and population growth, Provision for SuDS and the national standards required for their design, construction, maintenance and operation is included in the Flood and Water Management Act 2010.

By mimicking natural drainage regimes, SuDs aim to reduce surface water flooding, improve water quality and enhance the amenity and biodiversity value of the environment. SuDs achieve this by lowering flow rates, increasing water storage capacity and reducing the transport of pollution to the water environment.

The need for alternative drainage such as SuDs is likely to increase to meet environmental challenges such as climate change and population growth.

Provision for SuDs and the national standards required for their design, construction, maintenance and operation is included on the Flood and Water Management Act 2008.



THE IMPORTANCE OF USING THE RIGHT PRODUCTS

A common problem many people face when looking for installation company's or tradesmen, is finding not only honest and reputable companies but ones that also only use quality bona fide materials from good suppliers.

This is a major problem in the resin industry right now and seems that it will get worse before it can get better! The main problem is there are so many companies starting to install resin without researching and educating themselves on the right products and correct application.

Some of these companies do a great job with the preparation and the resin at first looks great, it's only further down the line usually 6-12 months when the 'cracks' in their work literally start to appear!

There is a lot of let's say 'cowboy' installers out there who through bad installation just get it wrong! But there are just as many good integral installers who find their driveways failing due to substandard products for the finishing coat of resin!

It is a mine field for customers to find the right installer and can be a minefield for installers to find the right supplier!

The problem is with "resin suppliers" that claim to be "manufacturers", they just simply buy in the raw materials, mix them up, decant them into tubs, stick a label on them before selling out to the masses as the real deal! These companies do a great marketing job and it is easy to see why installers get sucked in!

We took two different types of resin that are being widely used and put them to the test, the results were alarming!! Given that all installers pretty much lay the resin at 18-20 mm it is no wonder why companies using these products are having problems.

One of the tests unbelievably would have to be laid an impossible 55mm to have the same results as our system laid at 18mm.

LeesonBound® BBA Approval

The latest system to gain its BBA approval is LeesonBound® Stone Binder system.

The stringent testing of its strength and stability confirms that it is the strongest UV stable stonebound surfacing system on the market.

The system was approved for its SUDS compliancy and that it has sufficient rainwater drainage properties to eliminate surface ponding.

The Strongest UV Stable Stonebound Surfacing System You only need 18mm of LeesonBound® to equal the strength of other systems. Competitor 1 (18mm) Competitor 2 (55mm) What are the benefits to a stronger product? To achieve the same strength as LeesonBound® using competitor products

To achieve the same strength as LeesonBound® using competitor products

- more product volume per square meter is needed - as well as increased time
preparing the ground works, further time applying the larger quantity of product
resulting in a project that isn't as practical and cost effective as LeesonBound®.

EXTERNAL RESIN FINISHES



Extremely hard wearing and water permeable, our Resin Bound surfaces are available in a wide range of colours. You can also create your own bespoke finish.

Many of these finishes are available to view at our showroom situated at:

Unit 10, Howley Park Road East, Howley Park Industrial Estate Morley, Leeds LS27 OSW. If you still can't find the finish for you, why not create your own?

Enquire for details. Speak to your sales rep.



RESIN COMMERCIAL SERVICES

We don't just cover residential properties but industrial, commercial and places of public interest too, this has included foot and cycle paths, car parks, housing developments and around areas of public interest such as hospitals and universities.

Resin is the choice of surface for many due to being porous meaning puddle free walkways and car parks. You'll also find resin's organic stones are ideal for tyre traction and slip resistant on the foot.

With resin providing a smooth, flat surface it's ideal for ramps and those less steady on their feet keeping visitors and employee's safe.

Benefits of resin for your commercial project include: Strength: Resin is high load bearing, ideal for high traffic volumes

Maintenance: You'll find resin is as low maintenance as you can get when it comes to choice of surface. Ideal for branding - You can install patterns and logos for signage with a choice of finishes.

Non-slip qualities: Ideal for health and safety requirements Eco friendly: Perfect for the environment being SUDs compliant









We now offer finance for residential and commercial customers



At The Yorkshire Resin Company limited, we are committed to delivering excellent service and we understand that many customers may prefer the option of paying with finance.

With this in mind, we've partnered with established credit brokers, Ideal4Finance, to enable customers to spread the cost of purchase with manageable monthly payments.

Ideal4Finance help thousands of people secure finance for their purchases. They use only reputable lenders and are Trustpilot-rated 'Excellent'.

You can apply online or over the telephone and decisions are made quickly. The final decision is based on your individual circumstances, including your personal credit profile, how much you want to borrow and the loan period.

RUBBER CRUMB SURFACES

Rubber crumb surfaces are ideal for schools and public places such as parks, play areas and playgrounds.

With it being a rubber based product, it minimises the risk of injury to children who fall. Rubber crumb surfaces are a blended mix of rubber granules, bound together with a polyurethane resin so we can achieve a smooth, seamless and porous rubber crumb surface.

Not only are rubber crumb surfaces but they are also durable, can be used in all weathers, and are vandal safety aspects it's easy to see why this surface is so popular.

Wide Choice of Colours


The rubber granules come in a wide variety of colours meaning you can be very creative with your design - whether it be using different patterns, splitting the area into different coloured sections, or even incorporating wording of your choice.

Benefits of Rubber Crumb

Very safe: Can be used in all weather: fast draining. Durable and therefore cost effective; Extremely resistant to cracking due to changes in temperature; Wide range of colours available and Vandal Resistant.

Base Build Up Specifications

The details given in this specification are intended only as a guide, actual details should be determined by the project designers, taking into account the specific circumstances of the intended application. We assume no responsibility for improper reliance upon or misuse of the data herein. Product design and specification are subject to change without further notice.




SPECIFYING THE CORRECT

the Critical Fall Height tests. An instrumented 'headform' representing a child's head is dropped from various heights onto the test specimen, and it's deceleration monitored. The greatest height of fall

impact-attenuating surface should be at the level of








Call us on 0113 272 1030

To talk to one of our team of experts, and arrange a free Quotation and Site Survey.

WHERE TO FIND US



Our showroom features range of colours and finishes as have a large range of complementary border styles

Unit 10, Howley Park Road East,










Thanks for transforming our drive into something to be very proud of. From our initial enquiry to completion we could not be more satisfied.



POWER CLEAN UK - AT YOUR SERVICE



ANY SURFACE, ANY BUDGET, WE CAN HELP!

Power Clean offer a professional pressure washing and sealing service for block paving, tarmac, concrete, pattern imprinted concrete, flagstones and natural stone all across the Yorkshire region.













For the latest offers, client testimonials and stunning resin transformations visit www.yorkshireresin.co.uk



FOR A FREE QUOTE AND SITE SURVEY CONTACT US: 0113 272 1030 / 0113 253 1944

The Yorkshire Resin Company and Power Clean UK are trading names of 'The Yorkshire Resin Company Ltd'. We are registered in England & Wales - Company Number 08372543. VAT Number - 156213625. Registered office address - Unit 10. Howley Park Road East, Howley Park Industrial Estate, Morley Leeds, LS27, OSW.